


Appendix A

Claim Amendments

1. (Currently amended) A compound of the formula 1



in which

R1 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl, 1-4C-alkoxy-1-4C-alkyl, [[or]] 1-4C-alkoxycarbonyl, 2-4C-alkenyl, 2-4C-alkynyl, fluoro-1-4C-alkyl or hydroxy-1-4C-alkyl,

R2 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl, 3-7C-cycloalkyl-1-4C-alkyl, halogen, 2-4C-alkenyl, 2-4C-alkynyl, hydroxy-1-4C-alkyl, hydroxy-3-4-C-alkenyl, hydroxy-3-4C-alkynyl, 1-4C-alkoxycarbonyl, fluoro-1-4C-alkyl, cyanomethyl, hydroxy, 1-4C-alkoxy, amino, mono- or di-1-4C-alkylamino, 1-4C-alkylcarbonylamino, 1-4C-alkoxycarbonylamino, carboxyl, mono- or di-1-4C-alkylamino-1-4C-alkyl, 1-4C-alkylcarbonyl, 2-4C-

alkenylcarbonyl, 2-4C-alkinylcarbonyl or the radical -  
CO-NR<sub>21</sub>R<sub>22</sub>,

where

R<sub>21</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-  
alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R<sub>22</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-  
alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R<sub>21</sub> and R<sub>22</sub> together and including the nitrogen atom  
to which they are attached form a pyrrolidino,  
piperidino, morpholino, aziridino or azetidino  
radical, [[.]]

R<sub>3</sub> is hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, 1-4C-  
alkoxy-1-4C-alkoxy-1-4C-alkyl, carboxyl, 1-4-C-  
alkoxycarbonyl or the radical -CO-NR<sub>31</sub>R<sub>32</sub>,

where

R<sub>31</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-  
alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R<sub>32</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-  
alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R31 and R32 together and including the nitrogen atom to which they are attached are a pyrrolidino, piperidino, morpholino, aziridino or azetidino radical,

Arom is a R4-, R5-, R6- and R7- substituted mono- or bicyclic aromatic radical selected from the group consisting of phenyl, naphthyl, pyrrolyl, pyrazolyl, imidazolyl, 1,2,3-triazolyl, indolyl, benzimidazolyl, furanyl (furyl), benzofuranyl (benzofuryl), thiophenyl (thienyl), benzothiophenyl (benzothienyl), thiazolyl, isoxazolyl, pyridinyl, pyrimidinyl, quinolinyl and isoquinolinyl,

where

R4 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy, carbonyl, 1-4C-alkoxycarbonyl, carboxy-1-4C-alkyl, 1-4C-alkoxycarbonyl-1-4C-alkyl, halogen, hydroxyl, aryl, aryl-1-4C-alkyl, aryloxy, aryl-1-4C-alkoxy, trifluoromethyl, nitro, amino, mono- or di-1-4C-alkylamino, 1-4C-alkylcarbonylamino, 1-4C-alkoxycarbonylamino, 1-4C-alkoxy-1-4C-alkoxycarbonylamino or sulfonyl,

R5 is hydrogen, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, halogen, trifluoromethyl or hydroxyl,

R6 is hydrogen, 1-4C-alkyl or halogen and

R7 is hydrogen, 1-4C-alkyl or halogen,

where

aryl is phenyl or substituted phenyl having one, two or three identical or different substituents selected from the group consisting of 1-4C-alkyl, 1-4C-alkoxy, carboxyl, 1-4C-alkoxycarbonyl, halogen, trifluoromethyl, nitro, trifluoromethoxy, hydroxyl and cyano,

or a salt thereof

~~and its salts.~~

2. (Currently amended) A compound of the formula 1 as claimed in claim 1, in which

R1 is 1-4C-alkyl or 3-7C-cycloalkyl,

R2 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl, halogen, 2-4C-alkenyl, 2-4C-alkynyl, hydroxy-1-4C-alkyl, 1-4C-alkoxycarbonyl, fluoro-1-4C-alkyl, cyanomethyl, carboxyl, 1-4C-alkylcarbonyl, or the radical -CO-NR<sub>21</sub>R<sub>22</sub>,

where

R<sub>21</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R<sub>22</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R21 and R22 together and including the nitrogen atom to which they are attached form a pyrrolidino, piperidino, morpholino, aziridino or azetidino radical, [[.]]

R3 is hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkoxy-1-4C-alkyl, carboxyl, 1-4-C-alkoxycarbonyl or the radical -CO-NR31R32,

where

R31 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R32 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R31 and R32 together and including the nitrogen atom to which they are attached are a pyrrolidino, piperidino, morpholino, aziridino or azetidino radical,

Arom is a R4-, R5- and R6- substituted phenyl, pyrrolyl, furanyl (furyl), thiophenyl (thienyl) or pyridinyl radical,

where

R4 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, carboxy-1-4C-alkyl, halogen, hydroxyl [[,]] or trifluoromethyl,  
R5 is hydrogen, 1-4C-alkyl, halogen, or hydroxyl and  
R6 is hydrogen or 1-4C-alkyl,

or a salt thereof

~~and its salts.~~

3. (Currently amended) A compound of the formula 1 as claimed in claim 1, in which

R1 is 1-4C-alkyl or 3-7C-cycloalkyl,

R2 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl, halogen, 2-4C-alkenyl, 2-4C-alkynyl, hydroxy-1-4C-alkyl, 1-4C-alkoxycarbonyl, fluoro-1-4C-alkyl, cyanomethyl, carboxyl, 1-4C-alkylcarbonyl, or the radical -CO-NR<sub>21</sub>R<sub>22</sub>,

where

R<sub>21</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R<sub>22</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R21 and R22 together and including the nitrogen atom to which they are attached form a pyrrolidino, piperidino, morpholino, aziridino or azetidino radical, [[.]]

R3 is hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkoxy-1-4C-alkyl, carboxyl, 1-4-C-alkoxycarbonyl or the radical -CO-NR31R32,

where

R31 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R32 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R31 and R32 together and including the nitrogen atom to which they are attached are a pyrrolidino, piperidino, morpholino, aziridino or azetidino radical,

Arom is a R4-, R5- and R6- substituted phenyl radical,

where

R4 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, carboxy-1-4C-alkyl, halogen, hydroxyl [[,]] or trifluoromethyl,

R5 is hydrogen, 1-4C-alkyl, halogen, or hydroxyl and

R6 is hydrogen or 1-4C-alkyl,

or a salt thereof

~~and its salts.~~

4. (Currently amended) A compound of the formula 1 as claimed in claim 1, in which

R1 is 1-4C-alkyl or 3-7C-cycloalkyl,

R2 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl, halogen, 2-4C-alkenyl, 2-4C-alkynyl, hydroxy-1-4C-alkyl, 1-4C-alkoxycarbonyl, fluoro-1-4C-alkyl, cyanomethyl, carboxyl, 1-4C-alkylcarbonyl, or the radical -CO-NR21R22,

where

R21 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R22 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R21 and R22 together and including the nitrogen atom to which they are attached form a pyrrolidino, piperidino, morpholino, aziridino or azetidino radical, [[.]]



R3 is hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkoxy-1-4C-alkyl, carboxyl, 1-4-C-alkoxycarbonyl or the radical -CO-NR<sub>31</sub>R<sub>32</sub>,

where

R<sub>31</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, [[or]]

1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R<sub>32</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, [[or]]

1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R<sub>31</sub> and R<sub>32</sub> together and including the nitrogen atom to which they are attached are a pyrrolidino, piperidino, morpholino, aziridino or azetidino radical,

Arom is phenyl,

or a salt thereof

~~and its salts.~~

5. (Currently amended) A compound of the formula 1 as claimed in claim 1, in which

R<sub>1</sub> is 1-4C-alkyl or 3-7C-cycloalkyl,

R<sub>2</sub> is hydrogen, 1-4C-alkyl, halogen or hydroxy-1-4C-alkyl,

R<sub>3</sub> is hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkoxy-1-4C-alkyl, carboxyl, 1-4-C-alkoxycarbonyl or the radical -CO-NR<sub>31</sub>R<sub>32</sub>,

where

R31 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R32 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R31 and R32 together and including the nitrogen atom to which they are attached are a pyrrolidino, piperidino, morpholino, aziridino or azetidino radical,

Arom is a R4-, R5- and R6- substituted phenyl, pyrrolyl, furanyl (furyl), thiophenyl (thienyl) or pyridinyl radical,

where

R4 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, carboxy-1-4C-alkyl, halogen, hydroxyl [[,]] or trifluoromethyl,

R5 is hydrogen, 1-4C-alkyl, halogen, or hydroxyl and

R6 is hydrogen or 1-4C-alkyl,

or a salt thereof

~~and its salts.~~

6. (Currently amended) A compound of the formula 1 as claimed in claim 1, in which

R1 is 1-4C-alkyl or 3-7C-cycloalkyl,

R2 is hydrogen, 1-4C-alkyl, halogen or hydroxy-1-4C-alkyl,

R3 is hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkoxy-1-4C-alkyl, carboxyl, 1-4-C-alkoxycarbonyl or the radical -CO-NR<sub>31</sub>R<sub>32</sub>,

where

R31 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R32 is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R31 and R32 together and including the nitrogen atom to which they are attached are a pyrrolidino, piperidino, morpholino, aziridino or azetidino radical,

Arom is a R<sub>4</sub>-, R<sub>5</sub>- and R<sub>6</sub>- substituted phenyl radical,

where

R<sub>4</sub> is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, carboxy-1-4C-alkyl, halogen, hydroxyl [[,]] or trifluoromethyl,

R<sub>5</sub> is hydrogen, 1-4C-alkyl, halogen, or hydroxyl and

R<sub>6</sub> is hydrogen or 1-4C-alkyl,

or a salt thereof

~~and its salts.~~

7. (Currently amended) A compound of the formula 1 as claimed in claim 1, in which

R1 is 1-4C-alkyl,

R2 is hydrogen, 1-4C-alkyl, halogen [[,]] or hydroxy-1-4C-alkyl,

R3 is hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, carboxyl, 1-4C-alkoxycarbonyl or the radical -CO-NR31R32,

where

R31 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkoxy-1-4C-alkyl,

R32 is hydrogen [[,]] or 1-4C-alkyl,

or where

R31 and R32 together and including the nitrogen atom to which they are attached form a pyrrolidino or morpholino radical,

Arom is phenyl,

or a salt thereof

~~and its salts.~~

8. (Currently amended) A compound of the formula 1 as claimed in claim 1, in which

R1 is 1-4C-alkyl,

R2 is hydrogen, 1-4C-alkyl, halogen [[,]] or hydroxy-1-4C-alkyl,

R3 is carboxyl, 1-4C-alkoxycarbonyl or the radical -CO-NR31R32,

where

R31 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkoxy-1-4C-alkyl,

R32 is hydrogen [[,]] or 1-4C-alkyl,

or where


R31 and R32 together and including the nitrogen atom to which they are attached form a pyrrolidino or morpholino radical,

Arom is phenyl,

or a salt thereof

~~and its salts.~~

9. (Currently amended) A compound of the formula 1 as claimed in claim 1, characterized by the formula 1-a,



in which

R1 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl, 1-4C-alkoxy-1-4C-alkyl, [[or]] 1-4C-alkoxycarbonyl, 2-4C-alkenyl, 2-4C-alkynyl, fluoro-1-4C-alkyl or hydroxy-1-4C-alkyl,

R2 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl, 3-7C-cycloalkyl-1-4C-alkyl, halogen, 2-4C-alkenyl, 2-4C-alkynyl, hydroxy-1-4C-alkyl, hydroxy-3-4-C-alkenyl, hydroxy-3-4C-alkynyl, 1-4C-alkoxycarbonyl, fluoro-1-4C-alkyl, cyanomethyl, hydroxy, 1-4C-alkoxy, amino, mono- or di-1-4C-alkylamino, 1-4C-alkylcarbonylamino, 1-4C-alkoxycarbonylamino, carboxyl, mono- or di-1-4C-alkylamino-1-4C-alkyl, 1-4C-alkylcarbonyl, 2-4C-alkenylcarbonyl, 2-4C-alkynylcarbonyl or the radical -CO-NR<sub>21</sub>R<sub>22</sub>,

where

R<sub>21</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R<sub>22</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R<sub>21</sub> and R<sub>22</sub> together and including the nitrogen atom to which they are attached form a pyrrolidino, piperidino, morpholino, aziridino or azetidino radical, [[.]]

R3 is hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkoxy-1-4C-alkyl, carboxyl, 1-4-C-alkoxycarbonyl or the radical -CO-NR<sub>31</sub>R<sub>32</sub>,

where

R<sub>31</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl and

R<sub>32</sub> is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl or 3-7C-cycloalkyl,

or where

R<sub>31</sub> and R<sub>32</sub> together and including the nitrogen atom to which they are attached are a pyrrolidino, piperidino, morpholino, aziridino or azetidino radical,

Arom is a R<sub>4</sub>-, R<sub>5</sub>-, R<sub>6</sub>- and R<sub>7</sub>- substituted mono- or bicyclic aromatic radical selected from the group consisting of phenyl, naphthyl, pyrrolyl, pyrazolyl, imidazolyl, 1,2,3-triazolyl, indolyl, benzimidazolyl, furanyl (furyl), benzofuranyl (benzofuryl), thiophenyl (thienyl), benzothiophenyl (benzothienyl), thiazolyl, isoxazolyl, pyridinyl, pyrimidinyl, quinolinyl and isoquinolinyl,

where

R<sub>4</sub> is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl, 1-4C-alkoxy, carboxyl, 1-4C-alkoxycarbonyl, carboxy-1-4C-

alkyl, 1-4C-alkoxycarbonyl-1-4C-alkyl, halogen, hydroxyl, aryl, aryl-1-4C-alkyl, aryloxy, aryl-1-4C-alkoxy, trifluoromethyl, nitro, amino, mono- or di-1-4C-alkylamino, 1-4C-alkylcarbonylamino, 1-4C-alkoxycarbonylamino, 1-4C-alkoxy-1-4C-alkoxycarbonylamino or sulfonyl, R5 is hydrogen, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, halogen, trifluoromethyl or hydroxyl, R6 is hydrogen, 1-4C-alkyl or halogen and R7 is hydrogen, 1-4C-alkyl or halogen,

where

aryl is phenyl or substituted phenyl having one, two or three identical or different substituents selected from the group consisting of 1-4C-alkyl, 1-4C-alkoxy, carboxyl, 1-4C-alkoxycarbonyl, halogen, trifluoromethyl, nitro, trifluoromethoxy, hydroxyl and cyano,

or a salt thereof

~~and its salts.~~

10. (Currently amended) A compound of the formula 1-a as claimed in claim 9,

in which



R1 is 1-4C-alkyl,

R2 is hydrogen, 1-4C-alkyl, halogen  $[[,]]$  or hydroxy-1-4C-alkyl,

R3 is hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, carboxyl, 1-4C-alkoxycarbonyl or the radical -CO-NR31R32,

where

R31 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkoxy-1-4C-alkyl,

R32 is hydrogen  $[[,]]$  or 1-4C-alkyl,

or where

R31 and R32 together and including the nitrogen atom to which they are attached form a pyrrolidino or morpholino radical,

Arom is phenyl,

or a salt thereof

~~and its salts.~~

11. (Currently amended) A compound of the formula 1-a as claimed in claim 9,

in which

R1 is 1-4C-alkyl,

R2 is hydrogen, 1-4C-alkyl, halogen  $[[,]]$  or hydroxy-1-4C-alkyl,

R3 is carboxyl, 1-4C-alkoxycarbonyl or the radical -CO-NR31R32,

where

R31 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkoxy-1-4C-alkyl,

R32 is hydrogen [[,]] or 1-4C-alkyl,

or where

R31 and R32 together and including the nitrogen atom to which they are attached form a pyrrolidino or morpholino radical,

Arom is phenyl,

or a salt thereof

~~and its salts.~~

12. (Currently amended) A ~~medicament~~ pharmaceutical composition comprising a compound as claimed in claim 1 and/or a ~~pharmacologically~~ pharmaceutically acceptable salt thereof together with a pharmaceutically acceptable auxiliary and/or excipient ~~customary pharmaceutical auxiliaries and/or excipients.~~

13. (Canceled)

14. (New) A method of preventing or treating a gastrointestinal disorder in a patient comprising administering a therapeutically effective amount of a compound of formula 1 according to claim 1 or a pharmaceutically acceptable salt thereof to a patient in need thereof.